

## Accredited Tests List

List of accredited tests, UKAS Testing No 1066, correct as of **26/11/2024**.

Type of Test	Standards tests are performed to
% reduction in colony counts (antimicrobial activity)	ASTM E 2149-20
Abrasion (Martindale)	BS EN ISO 12947-1:1999
Abrasion (Martindale)	BS EN ISO 12947-2:2016
Abrasion (Martindale)	BS EN ISO 12947-3:1999
Abrasion (Martindale)	BS EN ISO 12947-4:1999
Abrasion (Martindale)	BS 3424:Part 24:Method 27A Modes A and B, 1990
Abrasion damage simulation	BS EN ISO 13427:2014
Abrasion resistance	BS EN ISO 12947:Pts 1, 2, 3 and 4:1998, BS EN ISO 12947-2:2016, BS EN 14465:Annex A:2003
Abrasion resistance	BS EN 530:2010
Abrasion resistance	BS EN 388:2016 + A1:2018, Clause 6.1
Air permeability	BS EN ISO 9237:1995
Antibacterial assessment of diffusible agents	AATCC 147:2016
Artificial ageing (elevated temperature) - Oven	BS EN 1296:2001
Artificial ageing (elevated temperature)	BS EN 1296:2001 modified by EN 13859-1:2014 and EN 13859-2:2014
Asperity Measurement	ASTM D7466/S7466M-10(2015)e1
Asperity Height	GRI GM12
Assessment of textiles for antifungal activity: soil burial, mildew and rot resistance	AATCC TM30:2017e Test III
Bedding components	IMO FTP Code 2010 Pt9
Blade Cut	BS EN 388:2016 + A1:2018, Clause 6.2
Blocking test	ISO 5978:1990(2015)
Blocking test	BS EN 25978:1993(2015)
Breaking load and extension	ISO 1421:1998 (Withdrawn)
Breaking load and extension	BS EN ISO 1421:2016
Breaking load and extension (grab method)	ASTM D4632 (2015)
Breaking load and extension (grab method)	ASTM D4632/D4632M – 15a(2023)
Burn Injury Prediction Testing	ISO 13506:2008 using an instrumented manikin (Withdrawn)
Burn Injury Prediction Testing	ASTM F 1930: 2000(2008) (withdrawn) using an instrumented manikin
Burn Injury Prediction Testing	BS EN ISO 13506-1:2017 using an instrumented manikin
Burn Injury Prediction Testing	BS ISO 13506-2:2017 using an instrumented manikin
Burning behaviour	BS EN 407:1994, Clause 6.3 (withdrawn)

Burning behaviour	BS EN 407:2004, Clause 6.3 (Withdrawn)
Limited Flame Spread	BS EN 407:2020 Clause 6.2
Burning behaviour aircraft components	EASA CS.25.853 App F Part 1, FAR/JAR 25 App F Part 1
Bursting strength	BS EN ISO 13938-1:2019
Bursting strength	BS EN ISO 13938-1:1999 (Withdrawn)
Bursting strength	BS ISO 3303-1:2012 (Withdrawn)
Carbon black content	ASTM D1603-20
Carbon black dispersion	ASTM D5596-03 (2021)
Carpet Construction	BS 4051:1987
Carpet Construction	ISO 1765:1986
Carpet Construction	BS ISO 1766:1999
Carpet Construction	BS ISO 1763:2020
Carpet Construction	BS ISO 8543:2020
Castor chair	BS EN 985:2001
Castor chair	BS EN ISO 4918:2021
Charge decay	BS EN 1149-3:2004 Method 2
Chromaticity background material	BS EN ISO 20471:2013 + A1(2016)
Chromaticity background material	RIS-3279-TOM:2019
Chromaticity background material	BS EN 17353:2020
Classification	BS EN 13501-1:2018
Classification of carpets	BS EN 1307:2014+A3:2018
Cleanliness	BS 1425-1:1991
Cleanliness	BS 1425-1:1991 (2018) Appendix A
Cleanliness	BS 1425-1:1991 (2018) Appendix B
Cleanliness	BS 1425-1:1991 (2018) Appendix C
Cleanliness	BS 1425-1:1991 (2018) Appendix D
Cleanliness	BS 1425-2:1991 (superseded)
Coating adhesion	BS EN ISO 2411:2017
Coating Adhesion	BS 3424:Part 7:Method 9:1982 (1996) (withdrawn)
Colour Fastness Tests and related Opinions and Interpretations	Artificial light - Xenon arc B02:1999(withdrawn) BS EN ISO 105 B02:2014
Colour Fastness Tests and related Opinions and Interpretations	Washing and laundering C01-C05 (superseded) BS EN ISO 105-C10:2007
Colour Fastness Tests and related Opinions and Interpretations	Domestic and commercial laundering BS EN ISO 105-C06:2010
Colour Fastness Tests and related Opinions and Interpretations	Domestic and commercial laundering BS EN ISO 105-C08:2010
Colour Fastness Tests and related Opinions and Interpretations	Dry cleaning BS EN ISO 105-D01:2010
Colour Fastness Tests and related Opinions and Interpretations	Rubbing with organic solvents BS EN ISO 105-D02:2016

Colour Fastness Tests and related Opinions and Interpretations	Water BS EN ISO 105-E01:2013
Colour Fastness Tests and related Opinions and Interpretations	Sea water BS EN ISO 105-E02:2013
Colour Fastness Tests and related Opinions and Interpretations	Chlorinated water BS EN ISO 105-E03:2010
Colour Fastness Tests and related Opinions and Interpretations	Perspiration BS EN ISO 105-E04:2013
Colour Fastness Tests and related Opinions and Interpretations	Spotting (water) BS EN ISO 105-E07:2010
Colour Fastness Tests and related Opinions and Interpretations	Bleaching agencies BS EN ISO 105- N01:1995
Colour Fastness Tests and related Opinions and Interpretations	Hot Pressing BS EN ISO 105-X11:1994, BS EN ISO 105-X11:1996
Colour Fastness Tests and related Opinions and Interpretations	Rubbing BS EN ISO 105-X12:2016
Conditioning	BS EN ISO 2231:1995, BS 3424:Part 2:1992
Conductivity, pH, water-soluble matter, in aqueous extracts	BS 3266:1981 Section 8.3 (withdrawn), BS 5F 100:1991:Methods 43 to 45 (withdrawn) and BS 6F 100:1998, Sections 4.2 to 4.4
Construction	BS 2861:1984(1996)
Constructional Properties of Knitted Fabrics	BS EN 14970:2006
Constructional Properties of Knitted Fabrics	BS EN 14971:2006
Constructional Properties of Knitted Fabrics	BS 5441:1988+A1:2019, Section 2, Clauses 9, 11 and 12 and Section 3, Clauses 14 and 16.
Crumple flex	BS 3424:Part 9:Method 11C: 1996, BS EN ISO 7854method C:1997
Curtains and Drapes	BS 5867:Part 2:2008
Curtains and Drapes	BS EN ISO 15025:2002 (Withdrawn)
Density of plastics	ASTM D1505-18
Design Requirements	BS EN 1149-5:2018
Design/background area	Shirley Method 134:2022
Determination of 2% secant modulus for polyethylene geomembranes	ASTM D5323-19a(2023)
Determination of dimensional change	BS EN ISO 5077:2008
Determination of long-term protection efficiency of geotextiles in contact with geosynthetic barriers	EN ISO 13719:2016
Determination of melting behaviour - capillary tube method	BS EN ISO 3146:2000 Method A
Determination of soluble hexavalent chromium - Colorimetric method	BS EN ISO 17075-1:2017
Determination of the pyramid puncture resistance of supported geosynthetics	BS EN 14574:2015
Determination of the resistance to weathering	BS EN 12224:2000

Determination of total lead content	In-House Method STL/SOP 005 based on ASTM E-1613-04 to meet the requirements of 16 CFR 1303:2005 CPSC-CH-E1001-08 using ICP (AES)
Diameter	ISO 137:2015
Dimensional change	ISO 3759:2007 (withdrawn)
Dimensional change	BS EN ISO 3759:2011
Dimensional change	BS EN ISO 5077:2008
Dimensional stability	ASTM D1204-14(2020)
Dimensional stability	BS EN 1107-2:2001
Dimensional stability (immersion in water)	BS 4736:1985(1996), ISO 7771:1985(2013), BS 6F 100:1998, Section 3.6
Dimensional stability (methods of preparation)	BS EN ISO 3759:2011
Dimensional stability (methods of preparation)	BS EN ISO 3759:2008 (withdrawn), BS EN ISO 3759: 2011
Dimensional stability (procedure and repeatability)	BS EN ISO 5077:2008
Dimensional stability (washing)	BS EN ISO 6330:2012 (Withdrawn)
Dimensional stability (washing)	BS EN ISO 6330:2021
Direct impingement - single flame source	BS EN ISO 11925-2:2020
Dynamic loading	BS ISO 2094:1999
Edge fraying (Vetterman)	BS EN ISO 10833:2019
Assessment	BS EN ISO 9405:2017
Electrical resistance	BS ISO 10965:2011
Evaluation of antibacterial finishes	AATCC TM100:2019
Examination of antibacterial effect of impregnated textiles by agar diffusion test	BS EN ISO 20645:2004
Examination of antibacterial effect of impregnated textiles by agar diffusion test	SNV 195 920:1994 (withdrawn)
Examination of antimycotic effect of impregnated textiles by agar diffusion	SNV 195 921:1994 (withdrawn)
Fabric width	BS EN 1773:1997
Fibre shedding	Documented In-House Method (E2-15)
Fire propagation	BS 476:Part 6:1989+A1:2009
Flame spread	BS EN ISO 9239:Part 1:2010, AS ISO 9239.1:2003(2016)
Flame spread	BS 476-7:1997
Flammability	BS 7837:1996
Burning behaviour	BS EN ISO 6941:2003
Burning behaviour	BS EN 1103:2005
Flammability and related Opinions and Interpretations for protection against heat and flame	BS EN 533:1997 (withdrawn), BS ISO 15025:2000 (withdrawn), BS EN ISO 15025:2002(withdrawn), BS EN ISO 15025:2016
Flammability and related Opinions and Interpretations for protection against heat and flame	ASTM D6413-15 (withdrawn)

Flexing resistance (Schildknecht)	BS EN ISO 7854:1997 Method B
Flexing resistance (Schildknecht)	BS 3424: Part 9:Method B 1996
Fluid loss	ASTM D5891-02(2009) (Superseded)
Fluid loss	ASTM D5891/D5891M-19
Free and hydrolysed formaldehyde	BS EN ISO 14184:Part 1:2011
General tests for evaluation following durability testing	EN 12226:2012
Geotextiles – California bearing ratio (CBR)	AS 3706.4-2012
Geotextiles – Tensile Properties	AS 3706.2-2012
Geotextiles- Grab strength	AS 2001.2.3.2: 2001 (2016)
Geotextiles- Permittivity, permeability and flow rate	AS 3706.9-2012
Geotextiles- Pore size distribution	AS 3706.7-2014
Geotextiles –Puncture resistance (Drop cone)	AS 3706.5-2014
Geotextiles –Tearing Strength	AS 3706.3-2012
Gloved finger dexterity	EN 420:2003 +A1 2009 (Withdrawn)
Gloved finger dexterity	BS EN ISO 21420:2020 Clause 6.2
Grab strength	BS EN ISO 13934-2:2014
Heat resistance	BS ISO 17493:2000(withdrawn), BS ISO 17493:2016
Heat transfer (contact heat)	BS EN ISO 12127-1:2015
Heat transfer (flame and radiation)	ASTM F2700-08(2020)
Heat transfer (flame)	BS EN ISO 9151:2016, ISO 9151:2016
Heat transfer (radiation)	BS EN ISO 6942:2002 Withdrawn
Heat transfer (radiation)	BS EN ISO 6942:2022
Heat/Water (Aachen)	BS ISO 2551:2020
Heat/Water (Carpet Tiles)	BS EN 986:2005
Ignitability and burning behaviour	BS 6807:2006
Ignitability and burning behaviour (including water soaking pre-treatments)	BS EN 1021-1:2014, BS EN 1021-2:2014, BS 7176:2007+A1:2011, BS EN 1021-1:2006, BS EN 1021-2:2006, BS 5852:2006, BS 5852:Part 1:1979, BS 5852:Part 2:1982
Ignitability of bed bases, etc	BS EN 597:Parts 1 and 2:1995 (Withdrawn)
Ignitability, flame spread	BS 5438:1989 (Amd 1990/1994) (1997) Test 2
Ignitability, flame spread	BS 5438:1989 (Amd 1990/1994) (1997) Test 3
Index flux	ASTM D5887/5887M-20
Index flux	ASTM D5887/5887M-22a
Index puncture resistance	ASTM D4833-07(2020)
Industrial Washing and Finishing Procedures for testing of Workwear. – Excluding tunnel drying	BS EN ISO 15797:2018
Inherent antibacterial properties	JIS L 1902:2015
Inherent antibacterial properties	BS EN ISO 20743:2021 Section 8.1

Initial tear resistance of plastic film and sheeting	ASTM D1004-21
In-plane water flow capacity	BS EN ISO 12958:2010 (Withdrawn)
In-plane water flow capacity	BS EN ISO 12958-1:2020
Length	ISO 6989:1981
Limiting oxygen index	BS EN ISO 4589-2:1999 (Withdrawn)
Limiting oxygen index	BS EN ISO 4589-2:2017
Limiting oxygen index	ASTM D2863-19
Linear density of yarn from packages	BS EN ISO 2060:1995
Lisson tretrad	BS EN 1963:2007 Test A (Withdrawn)
Lisson tretrad	BS EN ISO 12951:2020
Low Temperature Performance	BS 3424-8-Method 10A:1983 (withdrawn)
Mass per unit area	BS EN ISO 2286-2:2016, BS EN 12127:1998, BS 6F 100:1998, Section 3.2, BS 2471
Mass per unit area	BS EN 12127:1998, BS 6F 100:1998, Section 3.2
Mass per unit area	BS 6F 100:1998, Section 3.2
Mass per unit area	ASTM D5261-10(2018)
Mass per unit area	BS EN ISO 9864:2005
Mass per unit area	AS 2001.2.13-1997 (2016)
Mass per unit area	BS EN 1849-2:2019
Mass per unit area (GCL)	BS EN 14196:2016
Mass per unit area (GCL)	ASTM D5993-18(2022)
Mass/unit area	ISO 9073-1:1989(2015)
Measurement of water vapour permeability index	BS 7209:1990(1997): Appendix B, BS 3424:Part 34:Method 37: 1992
Mechanical pre-treatment for metallized materials	BS EN ISO 11612:2015 Annex A, BS EN 1486:2007 Annex A, ISO 15538:2001 Annex A
Mechanical Risk Test (for automobile drivers)	FIA 8856:2018 Clause 6.3 Appendix A-4
Heat transfer flame (FIA BS ISO 9151:2016)	FIA 8856:2018 Clause 6.2 Appendix A-2
Method of preparation - Preparation, marking and measuring of fabrics/ garments	BS EN ISO 3759:2011
Methodology for cylinder testing of protectors for geomembranes	Environment Agency - April 2006 Environment Agency 2011
Microbiological resistance by soil burial	EN 12225:2000 (Withdrawn)
Microbiological resistance by soil burial	BS EN 12225:2020
Moisture content (GCL)	ISO 11465:1993 Part 3
Moisture content (GCL)	ASTM D2216-19
Molten metal splash	BS EN 373:1993 (withdrawn)
Molten metal splash	BS EN ISO 9185:2007

Montmorillonite content (Methylene blue capacity)	API RP 131, VDG P69 (LFE3 V3 2014)
Oil repellency rating	BS EN ISO 14419:2010
Oil repellency rating	AATCC 118:2013e2/2020
Oxidative Induction Time	ASTM D3895-19 using Differential Scanning Calorimeter
Oxidative Induction Time	BS EN ISO 11357-6:2018
Peel and shear strength of bonded seams	ANSI/NSF Modification Standard 54: 1993, Appendix A, Part 3 and Part 5, based on ASTM D413:1982(1993) and ASTM D4437-99, ASTM D6392-12(2018)
Peel strength	ASTM D4632 (2015), ASTM D6496-2009 (Superseded)
Peel strength	ASTM D6496-20
Peel strength (geocomposites)	ASTM D4632 (2015)
pH of aqueous extracts	BS EN ISO 3071:2020
Phthalates	BS EN ISO 14389:2014, CPSC-CH-C1001-09.3:2010 using GC MS CPSC-CH-C1001-09.4:2018
Pilling	BS EN ISO 12945-1:2020
Pilling	BS EN ISO 12945-4:2020
Pilling	BS EN ISO 12945-2:2020
Pore/Opening size by wet sieving	BS EN ISO 12956:2020
Preparation of dried paint samples by hot plate or microwave digestion for subsequent lead analysis	In-House Method STL/SOP 005 based on ASTM E-1645-01(2007)
Protection against liquid chemicals	BS EN ISO 6530:2005
Puncture resistance	BS EN 863:1996(2002)
Puncture resistance	BS EN 388:2016 + A1:2018, Clause 6.5
Puncture resistance	BS EN 388:1994(withdrawn)
Puncture resistance (CBR puncture test)	BS EN ISO 12236:2006
Puncture resistance (CBR puncture test)	ASTM D6241 (2014) (withdrawn)
Quantitative analysis of fibre mixtures	Regulation (EU) No 1007/2011
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	BS EN ISO 1833-1:2020 BS EN ISO 1833-2:2020
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-4:2017/ EU Reg. method 2
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-7:2017/ EU Reg. method 4
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-11:2017/ EU Reg. method 7
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-16:2017/ EU Reg. method 13
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-20:2020/ EU Reg. method N/A
Textiles - Quantitative chemical analysis, (Binary and ternary fibre mixtures)	ISO 1833-21:2017/ EU Reg. method 15

Qualitative Composition Analysis	EU Regulation 1007/2011, excluding Method 16
Requirements for protective clothing against foul weather	EN 20811:1992, BS EN 343:2019 Section 5.5
Resistance of textiles to microbiological deterioration	BS EN 14119:2003
Resistance to acid and alkaline liquids (Screening method)	EN 14030:2001
Resistance to blood borne pathogens using Phi-X174 bacteriophage penetration	BS ISO 16604:2004
Resistance to blood borne pathogens using Phi-X174 bacteriophage penetration	ASTM F 1671-2022
Resistance to ignition	BS 7175:1989(1994)
Resistance to ignition	BS 7177:2008+A1:2011
Resistance to oxidation (Screening methods)	EN ISO 13438:2004 Methods (withdrawn) A1, A2, B1 & B2
Resistance to oxidation (Screening methods)	EN ISO 13438:2018 Method A
Resistance to penetration by synthetic blood	BS ISO 16603:2004
Resistance to penetration by synthetic blood	ASTM F 1670/F1670M-17a
Resistance to penetration by Water	BS EN 13562:2000
Resistance to perforation (cone drop test)	BS EN 918:1996 (superseded withdrawn)
Resistance to perforation (cone drop test)	BS EN ISO 13433:2006
Resistance to water penetration	BS EN 13111:2010
Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	ISO 811:1981(2007) (Withdrawn)
Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	BS EN 20811:1992(1996)
Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	BS EN ISO 811:2018
Resistance to water penetration (hydrostatic head) coated fabrics	BS 3424:Part 26:Methods 29A and 29C:1990
Resistance to water penetration (hydrostatic head) textile fabrics (woven)	BS EN 20811:1992(1996), ISO 811:1981 (2007), BS EN ISO 811:2018
Sampling and preparation of test specimens	BS EN ISO 9862:2005
Screening for determining the resistance by hydrolysis in water	BS EN 12447:2001 (Withdrawn)
Screening for determining the resistance by hydrolysis in water	BS EN 13249:2016
Seam slippage	BS EN ISO 13936-1:2004




Seam slippage	BS EN ISO 13936-2:2004
Seam tensile properties Strip method	BS EN 13935:Part 1:2014
Seam tensile properties Grab method	BS EN 13935:Part 2:2014
Short term compression	ASTM D1621 - 16(2023)
Short term compression	BS EN ISO 25619-2:2015
Side length, squareness and straightness of tiles	BS EN 994:1996
Single burn item	BS EN 13823:2002 (Withdrawn)
Single burn item	BS EN 13823:2020+A1:2022
Small splashes of molten metal	BS EN 348:1992, ISO 9150:1988
Soil moisture content	AS 1289.2.1.1-2005 (2016)
Solvent extractable matter	BS 8459:2005
Specifications for upholstery fabrics	BS 2543:2004
Spray rating	BS EN 24920:1992(1996) (withdrawn), ISO 4920:2012, BS EN ISO 4920:2012, BS 3424-26:1990 Method 29D
Static loading	BS 4939:1987, ISO 3416:1986
Static Thickness	AS 2001.2.15-1989 (2016)
Strength - fibre breaking force and elongation	BS EN ISO 5079:2020
Strength of internal structural junctions	BS EN ISO 13426-1:2003 (Withdrawn), BS EN ISO 13426-2:2005 (Withdrawn)
Strength of internal structural junctions	BS EN ISO 13426-1:2019
Strength of internal structural junctions	BS EN ISO 13426-2:2005 (Withdrawn)
Strength of yarn from packages	BS EN ISO 2062:2009
Stress cracking using notched constant tensile load	ASTM D5397-07(2012) (Superseded), BS EN 14576:2005
Surface and interfacial tension of solutions of surface active agent	ASTM D 1331-11 (Superseded)
Surface flammability	IMO FTP Code 2010 Pt5
Surface resistivity Electrical resistance through material	BS EN 1149-1:2006
Vertical Resistance	BS EN 1149-2:1997
Swell Index of Clay	ASTM D5890-19
Tear resistance	ISO 9073-4:1997(2013) (Withdrawn)
Tear resistance	ISO 9073-4:2021
Tear resistance	BS EN 388:2016 + A1:2018, Clause 6.4
Tear resistance (nail shank)	BS EN 12310-1:2000
Tear resistance (nail shank)	BS EN 12310-1:2000 modified by EN 13859-1:2014 and EN 13859-2:2014
Tear strength	BS 3424:Part 5:Method 7:1982 (1996) (withdrawn)
Tear strength	ISO 4674:1977 (withdrawn)
Tear strength	BS EN ISO 4674-1:2003 (withdrawn)

Tear strength	BS EN ISO 4674-1:2016
Tear strength (Ballistic pendulum method)	BS EN ISO 4674-2:2021
Tear strength	BS 6F 100:1998, Section 3.5
Tear strength (Elmendorf)	BS EN ISO 13937-1:2000
Tear strength (Elmendorf)	ASTM D1424:21
Tear strength (Tongue Tear)	BS EN ISO 13937-4:2000 (electronic)
Tear strength (Tongue Tear)	BS 6F 100:1998, Section 3.5.1
Tear strength (Tongue Tear)	BS EN ISO 13937:Part 4:2000+
Tear strength (Trousar Tear)	BS EN ISO 13937:Part 2:2000 (electronic)
Tear strength (Wing Rip)	BS EN ISO 4674-1:2003 (Withdrawn), BS EN ISO 13937:Part 3:2000 (electronic)
Tear strength (Wing Rip)	BS EN ISO 13937:Part 3:2000+ (+indicates electronic only)
Tear strength (Wing Rip)	BS EN ISO 13937:Part 3:2000+
Tensile properties	BS EN 12311-1:2000
Tensile properties	BS EN 12311-1:2000 modified by EN 13859-1:2014 and EN 13859-2:2014
Tensile properties of plastics	ASTM D6693-20
Tensile properties of plastics	EN ISO 527-1:1996 (Withdrawn)
Tensile properties of plastics	EN ISO 527-3:1995(1998) (Withdrawn)
Tensile properties using a wide width strip	ASTM D4595-17
Tensile properties using a wide width strip	ASTM D4595/D4595M-23
Tensile properties using a wide width strip	BS EN ISO 10319:2015
Tensile strength	BS EN ISO 13934-1:2013
Tensile strength	ASTM D6768-18 (Superseded)
Tensile strength and elongation	BS EN ISO 1421:1998 (Withdrawn)
Tensile strength and elongation	BS EN 29073-3:1992 (Withdrawn)
Tensile strength and elongation	BS EN ISO 13934-1:2013
Tensile strength and elongation	BS 6F 100:1998 Section 3.3
Tensile strength and elongation	BS EN ISO 13934: 2:2014
Tensile strength and elongation	ISO 9073-3:1989(2015)
Tensile strength and elongation	BS EN ISO 13935-1:1999(withdrawn),
Tensile strength and elongation	BS EN ISO 13935-1:2014
Tensile strength and elongation	BS EN ISO 13935-2:1999 (withdrawn)
Tensile strength and elongation	BS EN ISO 13935-2:2014
Tensile test for joints/seams by wide-width method	BS EN ISO 10321:2008
Thermal and water vapour resistance	BS EN ISO 11092:2014
Thermal resistance or conductivity : Single	ISO 5085:Part 1:1989(2015), BS 4745:2005:Procedure 10.2 and 10.3
Thickness	ISO 9073-2:1995(2016)
Thickness	BS EN ISO 2286-3:2016
Thickness	BS EN 1849-2:2019

Thickness at specified pressures	EN ISO 9863-1:2016+A1:2019
Thickness at specified pressures	ASTM D5199:2012 (2019)
Thickness of fabric	BS EN ISO 5084:1997
Thickness of Geomembranes	ASTM D5994-10(2021)
Thickness, compression and recovery	BS 4098:1975
Threads per unit length	BS EN 1049/2 :1994, BS 6F 100:1998, Section 3.1
Threads per unit length	BS 2862:1984(1990) (withdrawn), BS 6F 100:1998 Section 3.1, BS EN 1049:Part 2:1994
Total lead in metal products	IHM STL/SOP/005 to implement CPSC-CH-E1001-08.1 & E1001-08.2:2012 to meet the requirements of CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total Lead in non-metallics (excluding ceramics)	IHM STL/SOP/005 to implement CPSC-CH-E1002-08.1 & E1002-08.2:2012 to meet the requirements of CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total Lead in Surface Coatings	IHM STL/SOP/005 to implement CPSC-CH-E1003-09.1:2010 to meet the requirements of 16CFR1303 and CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total mass/coating mass/substrate mass	BS EN ISO 2286-2:2016
Trapezoid tear strength	ASTM D4533/D4533M - 15(2023)
Tuft withdrawal	BS ISO 4919:2012
Tumbler test – Hexapod/Vetterman	BS ISO 10361:2015
Twist of yarn	BS EN ISO 2061:2015
Upholstered furniture	IMO FTP Code 2010 Pt8
UV ageing/irradiation	BS EN 1297:2004 as modified by BS EN 13859-1:2014 (Annex C) and EN 13859-2:2014, Annex C BS EN ISO 4892-3:2016 A & C
Vertically supported textiles and films	IMO FTP Code 2010 Pt7
Washing	BS EN ISO 6330:2021
Washing and drying	BS EN ISO 6330:2012
Water absorption of bentonite	ASTM E946:1992 (withdrawn)
Water repellency (Bundesmann)	BS 6F 100:1998, Section 3.8, BS 29865:1993, ISO 9865:1991(2016)
Water soak, washing, dry cleaning, etc	BS 5651:1978
Water vapour transmission	BS EN 1931:2000
Water vapour transmission	BS EN ISO 12572:2016
Water-flow, normal to the plane	BS EN ISO 11058:2010 (Withdrawn)
Water-flow, normal to the plane	BS EN ISO 11058:2019
Watertightness	BS EN 1928:2000 Method A
Watertightness	BS EN 1928:2000 Method A modified by EN 13859-1:2014, EN 13859-2:2014
Wet ashing	BS 6648:1986
Wide-width tensile test	BS EN ISO 10319:2015
Width	BS EN 1773:1997, BS ISO 22198:2006
Width	BS EN ISO 2286-1:2016

Sorensen Building  
 Unit 6, Wheel Forge Way  
 Trafford Park,  
 Manchester  
 M17 1EH  
 United Kingdom  
 t: +44 (0)161 876 4211  
 e: onestopshop@bttg.co.uk

[WWW.SHIRLEY.CO.UK](http://WWW.SHIRLEY.CO.UK) • [WWW.BTTG.CO.UK](http://WWW.BTTG.CO.UK)



TESTING • CERTIFICATION • AUDITING

Yarn count from fabric	BS ISO 7211-5:2020
Yarn crimp from fabric	BS ISO 7211-3:1984
Yarn twist from fabric	BS ISO 7211-4:1984
Minimum Requirements for Carpet underlays	BS EN 14499:2015
Body voltage. Assessment of static electrical propensity.	BS EN 1815:2016
Pressure pot end-point determination	BS EN 14325:2018 Section 4.4.2.2/4.5.2.2
Pressure pot end-point determination	BS EN 14325:2018 Section 4.5
Cut Resistance (TDM)	BS EN ISO 13997:1999 (Withdrawn)
Bond strength (ply adhesion) of geocomposites	ASTM D7005-16
Tensile properties of geogrids by the single or multi-rib tensile method	ASTM D6637-15
Geotextiles- Grab strength	AS 2001.2.3.1: 2001 (2016)
Peel Strength	BS EN ISO 13426-2:2005 (Withdrawn)
Leather - Tear load - double edge tear	BS EN ISO 3377-2:2016
Leather - Sampling	BS EN ISO 2418:2017
Leather - Sampling	BS EN ISO 2418:2023
Leather - Conditioning	BS EN ISO 2419:2012
Leather - Thickness	BS EN ISO 2589:2016
Determination of Impact Abrasion Resistance (Darmstadt Method)	BS EN 17092-1:2020, clause 5.4